



ZAP70-related severe combined immunodeficiency

ZAP70-related severe combined immunodeficiency (SCID) is an inherited disorder that damages the immune system. *ZAP70*-related SCID is one of several forms of severe combined immunodeficiency, a group of disorders with several genetic causes. Children with SCID lack virtually all immune protection from bacteria, viruses, and fungi. They are prone to repeated and persistent infections that can be very serious or life-threatening. Often the organisms that cause infection in people with this disorder are described as opportunistic because they ordinarily do not cause illness in healthy people. Infants with SCID typically experience pneumonia, chronic diarrhea, and widespread skin rashes. They also grow much more slowly than healthy children. If not treated in a way that restores immune function, children with SCID usually live only a year or two.

Most individuals with *ZAP70*-related SCID are diagnosed in the first 6 months of life. At least one individual first showed signs of the condition later in childhood and had less severe symptoms, primarily recurrent respiratory and skin infections.

Frequency

ZAP70-related SCID is a rare disorder. Only about 20 affected individuals have been identified. The prevalence of SCID from all genetic causes combined is approximately 1 in 50,000.

Genetic Changes

As the name indicates, this condition is caused by mutations in the *ZAP70* gene. The *ZAP70* gene provides instructions for making a protein called zeta-chain-associated protein kinase. This protein is part of a signaling pathway that directs the development of and turns on (activates) immune system cells called T cells. T cells identify foreign substances and defend the body against infection.

The *ZAP70* gene is important for the development and function of several types of T cells. These include cytotoxic T cells (CD8+ T cells), whose functions include destroying cells infected by viruses. The *ZAP70* gene is also involved in the activation of helper T cells (CD4+ T cells). These cells direct and assist the functions of the immune system by influencing the activities of other immune system cells.

Mutations in the *ZAP70* gene prevent the production of zeta-chain-associated protein kinase or result in a protein that is unstable and cannot perform its function. A loss of functional zeta-chain-associated protein kinase leads to the absence of CD8+ T cells and an excess of inactive CD4+ T cells. The resulting shortage of active T cells causes people with *ZAP70*-related SCID to be more susceptible to infection.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- selective T-cell defect
- ZAP70-related SCID
- zeta-associated protein 70 deficiency

Diagnosis & Management

Formal Diagnostic Criteria

- ACT Sheet: Severe Combined Immunodeficiency (SCID) and Conditions Associated with T Cell Lymphopenia
<https://www.ncbi.nlm.nih.gov/books/NBK55827/bin/SCID.pdf>

Genetic Testing

- Genetic Testing Registry: Severe combined immunodeficiency, atypical
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1849236/>

Other Diagnosis and Management Resources

- Baby's First Test: Severe Combined Immunodeficiency
<http://www.babysfirsttest.org/newborn-screening/conditions/severe-combined-immunodeficiency-scid>
- GeneReview: ZAP70-Related Severe Combined Immunodeficiency
<https://www.ncbi.nlm.nih.gov/books/NBK20221>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>

- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Immune System and Disorders
<https://medlineplus.gov/immunesystemanddisorders.html>
- Health Topic: Newborn Screening
<https://medlineplus.gov/newbornscreening.html>

Genetic and Rare Diseases Information Center

- ZAP-70 deficiency
<https://rarediseases.info.nih.gov/diseases/387/zap-70-deficiency>

Additional NIH Resources

- National Human Genome Research Institute: Learning About Severe Combined Immunodeficiency
<https://www.genome.gov/13014325/>
- National Institute of Allergy and Infectious Diseases: Primary Immune Deficiency Diseases
<https://www.niaid.nih.gov/diseases-conditions/primary-immune-deficiency-diseases-pids>

Educational Resources

- KidsHealth
<http://kidshealth.org/en/parents/severe-immunodeficiency.html>
- MalaCards: zap70-related severe combined immunodeficiency
http://www.malacards.org/card/zap70_related_severe_combined_immunodeficiency
- Merck Manual Consumer Version
<http://www.merckmanuals.com/home/immune-disorders/immunodeficiency-disorders/severe-combined-immunodeficiency-scid>
- National Marrow Donor Program
<https://bethematch.org/for-patients-and-families/learning-about-your-disease/severe-combined-immunodeficiency/>
- Orphanet: Combined immunodeficiency due to ZAP70 deficiency
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=911

Patient Support and Advocacy Resources

- Immune Deficiency Foundation
<http://primaryimmune.org/>
- Jeffrey Modell Foundation
<http://www.info4pi.org/>
- National Organization for Rare Disorders
<https://rarediseases.org/rare-diseases/severe-combined-immunodeficiency/>

GeneReviews

- ZAP70-Related Severe Combined Immunodeficiency
<https://www.ncbi.nlm.nih.gov/books/NBK20221>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22ZAP70-related+severe+combined+immunodeficiency%22+OR+%22Severe+Combined+Immunodeficiency%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28zap70+severe+combined+immunodeficiency%29+OR+%28zap70+scid%29+OR+%28zeta-associated+protein+70+deficiency%29%29>

OMIM

- ZETA-CHAIN-ASSOCIATED PROTEIN KINASE
<http://omim.org/entry/176947>

Sources for This Summary

- Elder ME. SCID due to ZAP-70 deficiency. J Pediatr Hematol Oncol. 1997 Nov-Dec;19(6):546-50. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/9407944>
- Elder ME. T-cell immunodeficiencies. Pediatr Clin North Am. 2000 Dec;47(6):1253-74. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11130995>
- GeneReview: ZAP70-Related Severe Combined Immunodeficiency
<https://www.ncbi.nlm.nih.gov/books/NBK20221>
- Grunebaum E, Sharfe N, Roifman CM. Human T cell immunodeficiency: when signal transduction goes wrong. Immunol Res. 2006;35(1-2):117-26. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17003514>

- Picard C, Dogniaux S, Chemin K, Maciorowski Z, Lim A, Mazerolles F, Rieux-Laucat F, Stolzenberg MC, Debre M, Magny JP, Le Deist F, Fischer A, Hivroz C. Hypomorphic mutation of ZAP70 in human results in a late onset immunodeficiency and no autoimmunity. *Eur J Immunol*. 2009 Jul; 39(7):1966-76. doi: 10.1002/eji.200939385.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19548248>
- Roifman CM, Dadi H, Somech R, Nahum A, Sharfe N. Characterization of ζ -associated protein, 70 kd (ZAP70)-deficient human lymphocytes. *J Allergy Clin Immunol*. 2010 Dec;126(6):1226-33.e1. doi: 10.1016/j.jaci.2010.07.029.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20864151>
- Turul T, Tezcan I, Artac H, de Bruin-Versteeg S, Barendregt BH, Reisli I, Sanal O, van Dongen JJ, van der Burg M. Clinical heterogeneity can hamper the diagnosis of patients with ZAP70 deficiency. *Eur J Pediatr*. 2009 Jan;168(1):87-93. doi: 10.1007/s00431-008-0718-x. Epub 2008 May 29.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18509675>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/zap70-related-severe-combined-immunodeficiency>

Reviewed: April 2015

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services